

SUPPLEMENTARY MATERIAL S7

TABLE S7 | Principal coordinates analysis (PCoA) vectors of the first four axis (Cumulative Eigenvalues = 78.1%) representing functional distances among species. The codes for each species were depicted in Tab. S1.

	Axis.1	Axis.2	Axis.3	Axis.4
acacat	0.445	1.519	-0.896	-0.485
acefal	-0.214	-0.789	-1.556	0.850
aeqtet	0.298	0.379	1.747	0.548
amadal	-1.799	1.156	-0.642	-4.031
anclit	3.322	1.203	0.444	0.479
anoter	-0.502	0.183	-1.159	0.718
apires	0.080	0.691	1.107	-0.808
aptalb	-0.252	-3.560	0.283	0.837
astbim	-2.530	-0.089	0.071	0.520
astmac	-1.526	-0.562	1.299	0.423
astmax	-0.958	-0.616	1.191	0.890
barste	-1.255	0.091	1.010	0.855
batran	0.731	0.740	0.013	1.482
batvil	2.238	0.167	0.662	1.532
bracop	-4.906	-0.888	3.605	0.121
brasp1	0.160	-2.957	-0.253	-0.374
brasp2	0.673	-4.290	0.660	-0.159
brasp3	0.349	-3.576	0.202	-0.597
brycau	0.120	-0.368	0.080	0.895
brypal	-1.196	0.832	0.132	-2.662
brypir	0.654	0.194	0.445	0.350
carstr	1.057	-2.642	6.640	0.644
cenper	-0.594	2.172	-1.934	-1.089
cetsp1	2.284	-0.260	0.968	0.352
cetsp2	1.428	1.081	-0.666	1.093
cetsp3	0.431	0.740	-0.855	0.175
chagom	0.678	0.363	-0.112	0.043
chasp	0.378	0.445	-1.065	0.200
chazeb	0.129	0.350	0.132	-0.919
chetro	-2.320	0.220	0.413	0.070
cicama	-0.453	0.746	1.175	0.956
coracu	1.723	0.932	1.071	1.129
coramb	-0.920	1.447	-0.402	0.666



TABLE S7 I (Continued)

	Axis.1	Axis.2	Axis.3	Axis.4
corbon	-0.394	1.879	-0.446	1.024
corele	-0.649	1.047	0.310	0.900
cormel	-0.616	1.313	0.181	-0.005
corste	0.044	1.214	-0.111	0.943
cortri	0.227	1.753	0.123	0.946
crejoh	0.667	0.541	-1.126	1.519
crepet	-0.309	0.347	-0.115	0.236
cresan	0.702	-0.099	-0.134	0.756
curmac	-1.467	0.918	-0.201	-0.220
cypplu	-1.156	0.036	0.357	0.175
cypspis	-1.558	-0.171	-0.051	1.094
densed	-0.568	0.379	-0.448	0.770
eigtri	-0.101	-2.938	0.198	-0.177
elapul	-0.665	0.548	0.856	-3.451
eryery	0.481	0.451	-1.242	0.741
faroxy	5.045	-2.061	-0.897	-3.038
geomeg	-0.057	-0.039	1.300	-0.271
gymara	-0.217	-4.016	-0.122	0.609
gymcar	0.151	-4.302	-0.054	0.714
gymcor	-0.031	-3.310	-1.930	-1.589
gymron	0.182	-6.032	-2.440	-0.856
helgou	2.195	-0.004	1.137	0.324
hembel	-1.688	0.913	-0.798	-1.118
hemmel	-0.701	0.552	-0.061	-1.356
hemnep	-1.655	0.376	0.455	-0.497
hemoce	-1.186	0.424	0.396	-0.716
hemsp	-1.470	0.703	0.120	-3.035
hemuni	-1.002	-1.279	-0.673	1.549
hoplit	-0.192	0.781	-0.580	1.645
hopmal	1.339	-1.288	0.039	0.896
hopuni	1.401	-0.327	0.109	0.470
hypagu	-0.603	0.271	0.347	-0.963
hypben	-2.010	0.234	0.764	-0.290
hypcop	-1.770	0.606	-0.487	-0.281
hyphet	-0.656	0.560	0.129	-0.789
hyplep	-0.288	-3.745	-0.300	-0.019



TABLE S7 I (Continued)

	Axis.1	Axis.2	Axis.3	Axis.4
hyppyr	2.591	1.558	-0.028	0.928
hypsp	2.745	1.646	0.091	0.110
imphas	2.889	1.008	-0.883	-0.334
impsti	2.893	0.397	0.487	-1.154
ituama	1.165	-0.190	-0.512	-0.206
jupcit	-1.515	-0.508	1.636	0.464
juppor	-1.510	0.024	0.816	-0.355
jupzon	-0.921	0.161	0.759	-0.406
knohet	0.190	-0.040	0.888	0.156
knosmi	0.256	0.059	0.883	0.130
lassch	4.533	1.249	0.758	0.955
lepfri	-1.048	-0.103	-0.975	1.011
lorcat	3.239	-0.833	-0.781	0.919
megpic	0.816	1.206	-0.350	0.529
meldis	0.639	0.859	-0.876	0.373
melppec	3.343	0.975	1.124	-1.926
micgua	-1.588	0.499	-0.162	-0.189
micpoe	0.590	0.970	-0.237	0.243
micsp	2.673	0.408	1.547	-4.762
micwei	0.835	1.102	1.104	-4.890
miupla	-1.590	1.348	-2.025	0.339
moebon	-1.193	0.192	0.769	-0.773
moecol	-2.316	0.612	-0.569	-0.106
moecot	-2.083	0.540	-0.602	-0.114
moegrac	-1.649	1.014	-1.296	-0.575
moegran	-1.959	0.016	1.634	0.006
moemik	-1.691	0.547	-0.490	-0.118
moeoli	-2.251	-0.008	0.732	0.371
moepan	-2.317	0.156	0.521	-0.150
moesth	-2.182	0.034	1.000	0.127
mylsp	-3.729	-0.281	3.951	0.665
nantri	-2.341	1.242	-3.235	0.763
odofug	-1.259	0.560	-0.335	-0.161
otohop	-1.185	2.426	-3.041	0.288
parari	2.855	2.239	-0.527	-0.826
parnas	-0.720	1.086	-1.351	0.543



TABLE S7 I (Continued)

	Axis.1	Axis.2	Axis.3	Axis.4
parpor	-0.273	0.790	-0.379	1.186
parsp	1.510	-0.192	-0.915	-1.005
phebol	2.119	0.514	-1.355	-0.850
pheret	-1.933	-0.004	0.214	0.035
phesp	2.022	0.405	-0.540	-0.019
pimhow	1.201	0.213	-0.821	0.609
pimsp	1.621	0.099	-0.811	0.561
plamac	-3.427	-3.305	-5.977	0.457
potgui	1.605	-2.871	-3.097	-2.540
pronig	-2.220	0.162	-0.534	1.449
pseama	4.574	0.117	1.826	1.941
pyraus	0.785	0.390	0.039	0.015
pyrbre	-0.284	0.659	-0.746	-0.116
pyrzig	-0.667	1.069	-1.611	0.296
rhaque	2.590	-0.047	0.058	0.562
rinhet	3.198	-0.048	-0.150	0.686
rinsp	3.329	-0.315	0.148	-0.420
rivsp	0.684	0.811	-0.695	0.021
satjur	0.913	-0.146	1.616	0.225
sermic	-1.384	0.732	-0.398	-0.041
sernot	-2.006	0.321	0.611	-0.142
serrho	-2.800	-0.508	2.004	0.109
spaeava	4.414	-0.935	0.240	1.329
squema	4.004	0.753	0.791	1.200
stedob	-1.468	0.382	-0.762	0.603
stefas	-1.614	0.005	-0.281	0.774
stegue	-1.319	0.530	-0.483	0.510
stemac	0.550	-4.649	-0.476	-0.119
tataul	1.300	0.834	-1.191	1.283
tetarg	-2.492	0.038	2.507	-0.277
tilren	-0.455	1.260	0.536	-0.174
triang	-0.484	-1.326	0.841	1.096
tytmad	0.019	0.808	0.944	-2.466

Neotropical Ichthyology

OPEN ACCESS



This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

Distributed under
Creative Commons CC-BY 4.0

© 2021 The Authors.
Diversity and Distributions Published by SBI



Official Journal of the
Sociedade Brasileira de Ictiologia

HOW TO CITE THIS ARTICLE

- Brejão GL, Hoeinghaus DJ, Roa-Fuentes CA, Pérez-Mayorga MA, Ferraz SFB, Casatti L. Taxonomic and functional turnover of Amazonian stream fish assemblages is determined by deforestation history and environmental variables at multiple scales. *Neotrop Ichthyol.* 2021; 19(3):e210042. <https://doi.org/10.1590/1982-0224-2021-0042>