

TABLE S2 | Numbering of the sources used to build the baseline presented in Tab. 3.

Source numbering	References
1	Lopes <i>et al.</i> (1991)
2	Cordeiro <i>et al.</i> (2020)
3	Brum (2000)
4	Brum <i>et al.</i> (2001)
5	Vasconcellos <i>et al.</i> (2010)
6	Vasconcellos <i>et al.</i> (2011)
7	Lopes (1989)
8	Freire <i>et al.</i> (2020)
9	Corrêa, Vianna (2015)
10	Pizzochero <i>et al.</i> (2019)
11	Seixas <i>et al.</i> (2016)
12	Andrade <i>et al.</i> (2016)
13	Hauser-Davis <i>et al.</i> (2016)
14	Santos <i>et al.</i> (2015)
15	Franco <i>et al.</i> (2016)
16	Mulato <i>et al.</i> (2015)
17	Neves <i>et al.</i> (2007)
18	Castro-Rodrigues <i>et al.</i> (2011)
19	Hauser-Davis <i>et al.</i> (2012a)
20	Buckup <i>et al.</i> (2000)
21	Ferreira <i>et al.</i> (2020)
22	Hauser-Davis <i>et al.</i> (2019a)
23	Silva-Junior <i>et al.</i> (2019)
24	Maciel <i>et al.</i> (2018a)
25	Estrella <i>et al.</i> (2018)
26	Souza <i>et al.</i> (2018)
27	Chaves <i>et al.</i> (2018)
28	Molins-Delgado <i>et al.</i> (2018)
29	Maciel <i>et al.</i> (2018b)
30	Gonçalves-Silva, Vianna (2018)
31	Costa <i>et al.</i> (2018)
32	Avigliano <i>et al.</i> (2016)
33	Silva <i>et al.</i> (2016)
34	Silva-Junior <i>et al.</i> (2016)
35	Paiva <i>et al.</i> (2015)
36	Franco <i>et al.</i> (2014b)
37	Franco <i>et al.</i> (2014a)
38	Silva-Junior <i>et al.</i> (2013)
39	Sette <i>et al.</i> (2013)
40	Gonçalves-Silva <i>et al.</i> (2013)
41	Seixas <i>et al.</i> (2013)
42	Hauser-Davis <i>et al.</i> (2012b)

TABLE S2 I (Continued)

Source numbering	References
43	Seixas <i>et al.</i> (2012b)
44	Seixas <i>et al.</i> (2012a)
45	Bisi <i>et al.</i> (2012)
46	Rosenfelder <i>et al.</i> (2012)
47	Kehrig <i>et al.</i> (2011)
48	Carvalho, Luque (2009)
49	Quinete <i>et al.</i> (2009)
50	Andrade-Tubino <i>et al.</i> (2009)
51	Kehrig <i>et al.</i> (2009)
52	Seixas <i>et al.</i> (2007)
53	Silva <i>et al.</i> (2007)
54	Jablonski <i>et al.</i> (2006)
55	Baêta <i>et al.</i> (2006)
56	Silva <i>et al.</i> (2003)
57	Kehrig <i>et al.</i> (2002)
58	Ventura <i>et al.</i> (2002)
59	Kehrig <i>et al.</i> (2001)
60	Kehrig <i>et al.</i> (1998)
61	BioTecPesca sampling (2005–2007)
62	BioTecPesca sampling (2013–2015)
63	Fishing landing monitoring (2013–2014)
64	Fishing landing monitoring (2009–2010)
65	SpeciesLink Network
66	BioTecPesca listing at the Institute of Biodiversity and Sustainability, Universidade Federal do Rio de Janeiro (NPM)
67	Museu Zoologia, Universidade de São Paulo (MZUSP)
68	Museu Nacional, Universidade Federal do Rio de Janeiro (MNRJ)
69	Souza, Santos (2020)
70	Santos <i>et al.</i> (2020)
71	Hauser-Davis <i>et al.</i> (2019b)
72	Aguilar, Galetti (1997)
73	Brum <i>et al.</i> (1995)
74	Gomes <i>et al.</i> (1974)
75	Gomes <i>et al.</i> (1972)
76	Pizzochero <i>et al.</i> (2019)
77	Carvalho, Luque (2012)
78	Meniconi <i>et al.</i> (2001)
79	Toledo <i>et al.</i> (1983)
80	Hauser-Davis <i>et al.</i> (2021)
81	Gonçalves-Silva <i>et al.</i> (2020)
82	Seixas <i>et al.</i> (2021)
83	Paiva <i>et al.</i> (2021)
84	Costa <i>et al.</i> (2021)

## REFERENCES

- **Aguilar CT, Galetti Jr. PM.** Chromosomal studies in South Atlantic Serranids (Pisces, Perciformes). *Cytobios.* 1997; 89(357):105–14.
- **Andrade AC, Santos SR, Verani JR, Vianna M.** Guild composition and habitat use by Tetraodontiformes (Teleostei, Acanthopterygii) in a south-western Atlantic tropical estuary. *J Mar Biol Assoc United Kingdom.* 2016; 96(6):1251–64. <https://doi.org/10.1017/S0025315415001368>
- **Andrade-Tubino MF, Fiore-Correia LB, Vianna M.** Morphometrics and length structure of *Micropogonias furnieri* (Desmarest, 1823) (Perciformes, Sciaenidae) in Guanabara Bay, State of Rio de Janeiro, Brazil. *Bol Inst Pesca.* 2009; 35(2):239–46.
- **Avigliano E, Carvalho B, Velasco G, Tripodi P, Vianna M, Volpedo AV.** Nursery areas and connectivity of the adults anadromous catfish (*Genidens barbatus*) revealed by otolith-core microchemistry in the south-western Atlantic Ocean. *Mar Freshw Res.* 2016; 68(5):931–40. <https://doi.org/10.1071/MF16058>
- **Baêta AP, Kehrig HA, Malm O, Moreira I.** Total mercury and methylmercury in fish from a tropical estuary. *Environ Toxicol.* 2006; 10:183–92. <https://doi.org/10.2495/ETOX060181>
- **Bisi TL, Lepoint G, Azevedo AF, Dorneles PR, Flach L, Das K et al.** Trophic relationships and mercury biomagnification in Brazilian tropical coastal food webs. *Ecol Indic.* 2012; 18:291–302. <https://doi.org/10.1016/j.ecolind.2011.11.015>
- **Brum MJI, Corrêa MMO, Oliveira CC, Galetti Jr. PM.** Cytogenetic studies on the Perciformes *Orthopristis ruber* (Haemulidae) and *Scartella cristata* (Blenniidae). *Caryologia.* 1995; 48(3–4):309–18. <https://doi.org/10.1080/00087114.1995.10797340>
- **Brum MJI, Correa MMO, Aguilar CT.** Karyotype analysis in South Atlantic *Micropogonias furnieri* and *Abudefduf saxatilis*. *Chromosome Sci.* 2001; 5(2):83–89.
- **Brum MJI.** Cytogenetic studies in tetraodontiforms *Sphoeroides tyleri* (Tetraodontidae) and *Chilomycteras spinasus* (Diodontidae) from Rio de Janeiro Coast, Brazil. *Chromosome Sci.* 2000; 4(3):103–05.
- **Buckup PA, Nunan GW, Gomes UL, Costa WJEM, Gadig OBF.** Peixes. In: Maio FRD, Silva MBR, Araújo TN, editors. *Espécies ameaçadas extinção no Município do Rio Janeiro.* Rio de Janeiro: Prefeitura da Cidade do Rio de Janeiro, Secretaria do Meio Ambiente; 2000. p.52–57.
- **Carvalho AR, Luque JL.** Ocorrência de *Neobenedenia melleni* (Monogenea; Capsalidae) em *Trichiurus lepturus* (Perciformes; Trichiuridae), naturalmente infestados, no litoral do Rio de Janeiro, Brasil. *Rev Bras Parasitol Vet.* 2009; 18(1):74–76. <https://doi.org/10.4322/rbpv.018e1015>
- **Carvalho AR, Luque JLF.** Three new species of monogeneans parasitic on Atlantic cutlassfish *Trichiurus lepturus* (Perciformes: Trichiuridae) from Southeastern Brazil. *Acta Sci Biol Sci.* 2012; 34(3):359–65. <https://doi.org/10.4025/actascibiolsci.v34i3.10360>
- **Castro-Rodrigues AP, Maciel PO, Silva LCCP, Almosny NRP, Andreata JV, Bidone ED et al.** Relationship between mercury concentrations in the blood with that in the muscle of four estuarine tropical fish species, Rio de Janeiro state, Brazil. *Bull Environ Contam Toxicol.* 2011; 86:357–62. <https://doi.org/10.1007/s00128-011-0228-9>
- **Chaves MCNR, Franco ACS, Seixas LB, Rodrigues LC, Santos LN.** Testing the ecocline concept for fish assemblages along the marine-estuarine gradient in a highly-eutrophic estuary (Guanabara Bay, Brazil). *Estuar Coast Shelf Sci.* 2018; 211:118–26. <https://doi.org/10.1016/j.ecss.2018.02.004>
- **Cordeiro BD, Bertoncini AA, Abrunhosa FE, Corona LS, Araújo FG, Santos LN.** First report of the non-native gulf toadfish *Opsanus beta* (Goode & Bean, 1880) on the coast of Rio de Janeiro – Brazil. *BioInvasions Rec.* 2020; 9(2):279–86. <https://doi.org/10.3391/bir.2020.9.2.13>

- **Corrêa B, Vianna M.** Spatial and temporal distribution patterns of the silver mojarra *Eucinostomus argenteus* (Perciformes: Gerreidae) in a tropical semi-enclosed bay. *J Fish Biol.* 2015; 89(1):641–60. <https://doi.org/10.1111/jfb.12843>
- **Costa MR, Martins RRM, Tomás ARG, Tubino RA, Monteiro-Neto C.** Biological aspects of *Mugil liza* Valenciennes, 1836 in a tropical estuarine bay in the southwestern Atlantic. *Reg Stud Mar Sci.* 2021; 43:101651. <https://doi.org/10.1016/j.rsma.2021.101651>
- **Costa MR, Tubino RA, Monteiro-Neto C.** Length–weight relations of juvenile and adult fishes (Actinopterygii) from shallow waters in the lower Guanabara bay Estuary, Brazil. *Acta Ichthyol Piscat.* 2018; 48(2):199–204. <https://doi.org/10.3750/AIEP/02240>
- **Estrella LF, Ferreira VB, Gallistl C, Alves MGR, Vetter W, Malm O et al.** Occurrence of halogenated natural products in highly consumed fish from polluted and unpolluted tropical bays in SE Brazil. *Environ Pollut.* 2018; 242:684–91. <https://doi.org/10.1016/j.envpol.2018.07.030>
- **Ferreira VB, Estrella LF, Alves MGR, Gallistl C, Vetter W, Silva TTC et al.** Residues of legacy organochlorine pesticides and DDT metabolites in highly consumed fish from the polluted Guanabara Bay, Brazil: distribution and assessment of human health risk. *J Environ Sci Heal - Part B Pestic Food Contam Agric Wastes.* 2020; 55(1):30–41. <https://doi.org/10.1080/03601234.2019.1654808>
- **Franco ACS, Brotto DS, Zee DMW, Santos LN.** Long-term (2002-2011) changes on *Cetengraulis edentulus* (Clupeiformes: Engraulidae) fisheries in Guanabara Bay, Brazil. *Rev Biol Trop.* 2014a; 62(3):1019–29. <https://doi.org/10.15517/rbt.v62i3.12408>
- **Franco ACS, Brotto DS, Zee DMW, Santos LN.** Reproductive biology of *Cetengraulis edentulus* (Cuvier, 1829), the major fishery resource in Guanabara Bay, Brazil. *Neotrop Ichthyol.* 2014b; 12(4):819–26. <https://doi.org/10.1590/1982-0224-20130205>
- **Franco ACS, Ramos-Chaves MCN, Castel-Branco MPB, Neves LS.** Responses of fish assemblages of sandy beaches to different anthropogenic and hydrodynamic influences. *J Fish Biol.* 2016; 89(1):921–38. <https://doi.org/10.1111/jfb.12889>
- **Freire MM, Amorim LMF, Buch AC, Gonçalves AD, Sella SM, Cassella RJ et al.** Polycyclic aromatic hydrocarbons in bays of the Rio de Janeiro state coast, SE - Brazil: effects on catfishes. *Environ Res.* 2020; 181:e108959. <https://doi.org/10.1016/j.envres.2019.108959>
- **Gomes DC, Fabio SP, Rolas FJT.** Contribuição para o conhecimento dos parasitos de peixes do litoral do estado da Guanabara - Parte II. *Mem Inst Oswaldo Cruz.* 1974; 72:9–19. <https://doi.org/10.1590/S0074-02761974000100003>
- **Gomes DC, Fabio SP, Rolas FJT.** Contribuição para o conhecimento dos parasitos de peixes do litoral do estado da Guanabara - Parte I. *Mem Inst Oswaldo Cruz.* 1972; 70:541–53. <https://doi.org/10.1590/S0074-02761972000400005>
- **Gonçalves-Silva F, Santos HF, Assis-Leite DC, Lutfi DS, Vianna M, Rosado AS.** Skin and stinger bacterial communities in two critically endangered rays from the South Atlantic in natural and aquarium settings. *Microbiologyopen.* 2020; 9(12):1–16. <https://doi.org/10.1002/mbo3.1141>
- **Gonçalves-Silva F, Vianna M.** Use of a species-rich and degraded tropical estuary by Elasmobranchs. *Brazilian J Ocean.* 2018; 66(4):339–46.
- **Gonçalves-Silva SF, Brüning IMRA, Montone RC, Taniguchi S, Cascaes MJ, Dias PS et al.** Polybrominated diphenyl ethers (PBDES) and polychlorinated biphenyls (pcbs) in mussels and two fish species from the estuary of the Guanabara Bay, Southeastern Brazil. *Bull Environ Contam Toxicol.* 2013; 91:261–66. <https://doi.org/10.1007/s00128-013-1026-3>
- **Hauser-Davis RA, Bastos FF, Oliveira TF, Ziolli RL, Campos RC.** Fish bile as a biomarker for metal exposure. *Mar Pollut Bull.* 2012a; 64(8):1589–95. <https://doi.org/10.1016/j.marpolbul.2012.05.017>
- **Hauser-Davis RA, Bordon IC, Kannan K, Moreira I, Quinete N.** Perfluoroalkyl substances associations with morphometric health indices in three fish species from differentially contaminated water bodies in Southeastern Brazil: PFAS associations to morphometric fish health indices. *Environ Technol Innov.* 2021; 21:1–09. <https://doi.org/10.1016/j.eti.2020.101198>

- **Hauser-Davis RA, Bordon ICAC, Oliveira TF, Ziolli RL.** Metal bioaccumulation in edible target tissues of mullet (*Mugil liza*) from a tropical bay in Southeastern Brazil. *J Trace Elem Med Biol.* 2016; 36:38–43. <https://doi.org/10.1016/j.jtemb.2016.03.016>
- **Hauser-Davis RA, Lavandier RC, Bastos FF, Oliveira TF, Oliveira Ribeiro CA, Ziolli RL et al.** Alterations in Morphometric and organosomatic indices and histopathological analyses indicative of environmental contamination in mullet, *Mugil liza*, from Southeastern Brazil. *Bull Environ Contam Toxicol.* 2012b; 89(6):1154–60. <https://doi.org/10.1007/s00128-012-0846-x>
- **Hauser-Davis RA, Lopes RM, Ziolli RL.** Inhibition of mullet (*M. liza*) brain acetylcholinesterase activity by *in vitro* polycyclic aromatic hydrocarbon exposure. *Mar Pollut Bull.* 2019a; 140:30–34. <https://doi.org/10.1016/j.marpolbul.2019.01.027>
- **Hauser-Davis RA, Silva-Junior DR, Linde-Arias AR, Vianna M.** Hepatic metal and metallothionein levels in a potential sentinel teleost, *Dules auriga*, from a Southeastern Brazilian estuary. *Bull Environ Contam Toxicol.* 2019b; 103:538–43. <https://doi.org/10.1007/s00128-019-02654-6>
- **Jablonski S, Azevedo ADF, Moreira LHA.** Fisheries and conflicts in Guanabara Bay, Rio de Janeiro, Brazil. *Brazilian Arch Biol Technol.* 2006; 49(1):79–91. <https://doi.org/10.1590/S1516-89132006000100010>
- **Kehrig HA, Costa M, Moreira I, Malm O.** Methylmercury and total mercury in estuarine organisms from Rio de Janeiro, Brazil. *Environ Sci Pollut Res.* 2001; 8(4):275–79. <https://doi.org/10.1007/BF02987407>
- **Kehrig HA, Costa M, Moreira I, Malm O.** Total and methylmercury in a Brazilian estuary, Rio de Janeiro. *Mar Pollut Bull.* 2002; 44(10):1018–23. [https://doi.org/10.1016/S0025-326X\(02\)00140-6](https://doi.org/10.1016/S0025-326X(02)00140-6)
- **Kehrig HA, Malm O, Moreira I.** Mercury in a widely consumed fish *Micropogonias furnieri* (Demarest, 1823) from four main Brazilian estuaries. *Sci Total Environ.* 1998; 213:263–71. [https://doi.org/10.1016/S0048-9697\(98\)00099-0](https://doi.org/10.1016/S0048-9697(98)00099-0)
- **Kehrig HA, Malm O, Palermo EFA, Seixas TG, Baêta AP, Moreira I.** Bioconcentração e biomagnificação de metilmercúrio na Baía de Guanabara, Rio de Janeiro. *Quim Nova.* 2011; 34(3):377–84. <https://doi.org/10.1590/S0100-40422011000300003>
- **Kehrig HA, Seixas TG, Palermo EA, Baêta AP, Castelo-Branco CW, Malm O et al.** The relationships between mercury and selenium in plankton and fish from a tropical food web. *Environ Sci Pollut Res.* 2009; 16(1):10–24. <https://doi.org/10.1007/s11356-008-0038-8>
- **Lopes PRD, Muratori CFML, Costa RS.** Sobre um novo registro de *Syngnathus folletti* Herald, 1942 (pisces Syngnathidae) no litoral do Estado do Rio de Janeiro, Brasil. *Acta Biol Leopoldensia.* 1991; 13:85–92.
- **Lopes PRD.** Catálogo dos peixes marinhos do laboratório de ictologia da Universidade Federal do Rio de Janeiro. Parte 1: Chondrichthyes (Rajiformes). Teleostei (Elopiformes a Daetylopteriformes). *Rev Bras Zool.* 1989; 6(2):201–17.
- **Maciel TR, Vaz-dos-Santos AM, Caramaschi EP, Vianna M.** Management proposal based on the timing of oral incubation of eggs and juveniles in the sentinel species *Genidens genidens* (Siluriformes: Ariidae) in a tropical estuary. *Neotrop Ichthyol.* 2018a; 16(4):e170119. <https://doi.org/10.1590/1982-0224-20170119>
- **Maciel TR, Vaz-dos-Santos AM, Vianna M.** Can otoliths of *Genidens genidens* (Cuvier, 1829) (Siluriformes: Ariidae) reveal differences in life strategies of males and females? *Environ Biol Fishes.* 2018b; 101(11):1589–98. <https://doi.org/10.1007/s10641-018-0804-5>
- **Meniconi MFG, Santos AF, Salmito TMC, Romão CM, Moreira IMNS, Scofield ADL et al.** Fisheries safety monitoring in the Guanabara bay, Brazil, following a marine fuel spill. *Int Oil Spill Conf Proc.* 2001; 2001(2):951–57. <https://doi.org/10.7901/2169-3358-2001-2-951>
- **Molins-Delgado D, Muñoz R, Nogueira S, Alonso MB, Torres JP, Malm O et al.** Occurrence of organic UV filters and metabolites in lebranche mullet (*Mugil liza*) from Brazil. *Sci Total Environ.* 2018; 618:451–59. <https://doi.org/10.1016/j.scitotenv.2017.11.033>
- **Mulato IP, Corrêa B, Vianna M.** Time-space distribution of *Micropogonias furnieri* (Perciformes, sciaenidae) in a tropical estuary in southeastern Brazil. *Bol Inst Pesca.* 2015; 41(1):1–18.

- **Neves RLS, Oliveira TF, Ziolli RL.** Polycyclic aromatic hydrocarbons (PAHs) in fish bile (*Mugil liza*) as biomarkers for environmental monitoring in oil contaminated areas. *Mar Pollut Bull.* 2007; 54(11):1813–18. <https://doi.org/10.1016/j.marpolbul.2007.08.013>
- **Paiva LG, Prestrelo L, Sant'Anna KM, Vianna M.** Biometric sexual and ontogenetic dimorphism on the marine catfish *Genidens genidens* (Siluriformes, Ariidae) in a tropical estuary. *Lat Am J Aquat Res.* 2015; 43(5):895–903. <https://doi.org/10.3856/vol43-issue5-fulltext-9>
- **Paiva LG, Vannuci-Silva M, Correa B, Santos-Neto E, Vianna M, Lailson-Brito JL.** Additional pressure to a threatened species: High persistent organic pollutant concentrations in the tropical estuarine Batoid *Gymnura altavela*. *Bull Environ Contam Toxicol.* 2021; 107(1):37–44. <https://doi.org/10.1007/s00128-021-03151-5>
- **Pizzochero AC, Torre A, Sanz P, Navarro I, Michel LN, Lepoint G et al.** Occurrence of legacy and emerging organic pollutants in whitemouth croakers from Southeastern Brazil. *Sci Total Environ.* 2019; 682:719–28. <https://doi.org/10.1016/j.scitotenv.2019.05.213>
- **Quinete N, Wu Q, Zhang T, Yun SH, Moreira I, Kannan K.** Specific profiles of perfluorinated compounds in surface and drinking waters and accumulation in mussels, fish, and dolphins from southeastern Brazil. *Chemosphere.* 2009; 77(6):863–69. <https://doi.org/10.1016/j.chemosphere.2009.07.079>
- **Rosenfelder N, Lehnert K, Kaffarnik S, Torres JPM, Vianna M, Vetter W.** Thorough analysis of polyhalogenated compounds in ray liver samples off the coast of Rio de Janeiro, Brazil. *Environ Sci Pollut Res.* 2012; 19(2):379–89. <https://doi.org/10.1007/s11356-011-0569-2>
- **Santos SR, Andrade AC, Verani JR, Vianna M.** Population explosion of the burrfish *Chilomycterus spinosus spinosus* (Diodontidae, Tetraodontiformes) in a eutrophic tropical estuary. *Mar Biol Res.* 2015; 11(9):955–64. <https://doi.org/10.1080/17451000.2015.1045000>
- **Santos SR, Galvão KP, Adler GH, Andrade-Tubino MF, Vianna M.** Spatiotemporal distribution and population biology aspects of *Cetengraulis edentulus* (Actinopterygii: Clupeiformes: Engraulidae) in a south-western atlantic estuary, with notes on the local Clupeiformes community: conservation implications. *Acta Ichthyol Piscat.* 2020; 50(2):139–50. <https://doi.org/10.3750/AIEP/02511>
- **Seixas LB, Conte-Jr. CA, Santos AFGN.** How much fluctuating asymmetry in fish is affected by mercury concentration in the Guanabara Bay, Brazil? *Environ Sci Pollut Res.* 2021; 28:11183–94. <https://doi.org/10.1007/s11356-020-11240-x>
- **Seixas LB, Santos AFGN, Santos LN.** Fluctuating asymmetry: A tool for impact assessment on fish populations in a tropical polluted bay, Brazil. *Ecol Indic.* 2016; 71:522–32. <https://doi.org/10.1016/j.ecolind.2016.07.024>
- **Seixas TG, Moreira I, Kehrig HDA, Malm O.** Distribuição de selênio em organismos marinhos da Baía de Guanabara/RJ. *Quim Nova.* 2007; 30(3):554–59. <https://doi.org/10.1590/S0100-40422007000300009>
- **Seixas TG, Moreira I, Malm O, Kehrig HA.** Bioaccumulation of mercury and selenium in *Trichiurus lepturus*. *J Braz Chem Soc.* 2012a; 23(7):1280–88. <https://doi.org/10.1590/S0103-50532012000700012>
- **Seixas TG, Moreira I, Malm O, Kehrig HA.** Ecological and biological determinants of methylmercury accumulation in tropical coastal fish. *Environ Sci Pollut Res.* 2013; 20(2):1142–50. <https://doi.org/10.1007/s11356-012-1036-4>
- **Seixas TG, Moreira I, Malm O, Kehrig HA.** Mercury and selenium in a top-predator fish, *Trichiurus lepturus* (Linnaeus, 1758), from the tropical Brazilian coast, Rio de Janeiro. *Bull Environ Contam Toxicol.* 2012b; 89(2):434–38. <https://doi.org/10.1007/s00128-012-0680-1>
- **Sette CB, Pedrete TA, Felizzola J, Nudi AH, Scofield AL, Wagener ALR.** Formation and identification of PAHs metabolites in marine organisms. *Mar Environ Res.* 2013; 91:2–13. <https://doi.org/10.1016/j.marenvres.2013.02.004>



- **Silva AMF, Lemes VRR, Barretto HHC, Oliveira ES, Alleluia IB, Paumgarten FJR.** Polychlorinated biphenyls and organochlorine pesticides in edible fish species and dolphins from Guanabara Bay, Rio de Janeiro, Brazil. *Bull Environ Contam Toxicol.* 2003; 70(6):1151–57. <https://doi.org/10.1007/s00128-003-0102-5>
- **Silva AMF, Pavesi T, Rosa ACS, Santos TP, Tabalipa MM, Lemes VRR et al.** Organochlorines and polychlorinated biphenyl environmental pollution in south coast of Rio de Janeiro state. *Mar Pollut Bull.* 2016; 108(1–2):325–31. <https://doi.org/10.1016/j.marpolbul.2016.03.067>
- **Silva-Junior DR, Carvalho DMT, Vianna M.** The catfish *Genidens genidens* (Cuvier, 1829) as a potential sentinel species in Brazilian estuarine waters. *J Appl Ichthyol.* 2013; 29(6):1297–303. <https://doi.org/10.1111/jai.12280>
- **Silva-Junior DR, Paranhos R, Vianna M.** Spatial patterns of distribution and the influence of seasonal and abiotic factors on demersal ichthyofauna in an estuarine tropical bay. *J Fish Biol.* 2016; 89(1):821–46. <https://doi.org/10.1111/jfb.13033>
- **Silva-Junior LC, Santos SR, Macedo MC, Nunan GW, Vianna M.** Use of a species-rich and highly eutrophic tropical estuary in the south atlantic by Pleuronectiformes (Teleostei: Acanthopterygii). *Biota Neotrop.* 2019; 19(2):e20180561. <https://doi.org/10.1590/1676-0611-BN-2018-0561>
- **Silva TF, Azevedo DDA, Aquino-Neto FR.** Polycyclic aromatic hydrocarbons in fishes and sediments from the Guanabara Bay, Brazil. *Environ Forensics.* 2007; 8(3):257–64. <https://doi.org/10.1080/15275920701506433>
- **Souza JS, Santos LN, Santos AFGN.** Habitat features not water variables explain most of fish assemblages use of sandy beaches in a Brazilian eutrophic bay. *Estuar Coast Shelf Sci.* 2018; 211:100–09. <https://doi.org/10.1016/j.ecss.2018.02.002>
- **Souza JS, Santos LN.** The influence of size on the trophic interactions between juveniles of two syntopic *Trachinotus* species. *J Mar Biol Assoc United Kingdom.* 2020; 100:595–605. <https://doi.org/10.1017/S0025315420000545>
- **Toledo M, Sakuma AM, Pregnoatto W.** Aspectos da contaminação por cádmio em produtos do mar coletados no estuário de Santos, Baía da Guanabara e Baía de Todos os Santos. *Rev Inst Adolfo Lutz.* 1983; 43(1–2):15–24.
- **Vasconcellos RM, Araújo FG, Sousa-Santos JN, Araújo-Silva M.** Diel seasonality in fish biodiversity in a sandy beach in south-eastern Brazil. *J Mar Biol Assoc United Kingdom.* 2011; 91(6):1337–44. <https://doi.org/10.1017/S0025315410000652>
- **Vasconcellos RM, Araújo FG, Sousa-Santos JN, Araújo-Silva M.** Short-term dynamics in fish assemblage structure on a sheltered sandy beach in Guanabara Bay, Southeastern Brazil. *Mar Ecol.* 2010; 31(3):506–19. <https://doi.org/10.1111/j.1439-0485.2010.00375.x>
- **Ventura EC, Gaelzer LR, Zanette J, Marques MRF, Bairy ACD.** Biochemical indicators of contaminant exposure in spotted pigfish (*Orthopristis ruber*) caught at three bays of Rio de Janeiro coast. *Mar Environ Res.* 2002; 54:775–79. [https://doi.org/10.1016/S0141-1136\(02\)00137-X](https://doi.org/10.1016/S0141-1136(02)00137-X)



This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

Distributed under Creative Commons **CC-BY 4.0**

© 2023 The Authors.  
Diversity and Distributions Published by SBI



Official Journal of the  
Sociedade Brasileira de Ictiologia

#### HOW TO CITE THIS ARTICLE

- **Teixeira-Leite CV, Vianna M.** Building a baseline: a survey of the composition and distribution of the ichthyofauna of Guanabara Bay, a deeply impacted estuary. *Neotrop Ichthyol.* 2023; 21(2):e220068. <https://doi.org/10.1590/1982-0224-2022-0068>