

TABLE S2 | Percentual of benthic species cover at Urca beach and Duas Irmãs island.

Species	Urca (%)	Duas Irmãs (%)
<i>Acanthophora</i> sp.	0	2.4
<i>Actiniaria</i> sp.	0.1	0
<i>Amathia</i> sp.	1.7	4.5
<i>Amphiroa</i> sp.	20.7	14.9
<i>Bivalve</i> sp.	2.4	0
<i>Botrylloides nigrum</i>	1.5	0
<i>Bryopsis pennata</i>	0	0.1
<i>Bunodosoma caissarum</i>	3.2	0.1
Calcareous algae	0.1	18.3
<i>Clavelina oblonga</i>	1.8	0
<i>Cliona celata</i>	0.6	0
<i>Codium</i> sp.	0.3	0
<i>Desmapsamma anchorata</i>	0	0.2
<i>Echinometra lucunter</i>	0.1	0
<i>Enteromorpha</i> sp.	0	1.4
<i>Halopteris</i> sp.	0	0.1
<i>Hymeniacion heliophila</i>	6.5	0
<i>Jarya</i> sp.	0	5.3
<i>Lytechinus variegatus</i>	0.2	0
<i>Monanchora arbuscula</i>	5.9	0.1
<i>Mycale</i> sp.	2.8	0.1
<i>Palythoa caribaeorum</i>	0	2.3
<i>Perna perna</i>	2.5	0
<i>Phallusia nigra</i>	0.1	0.1
Pipe	0.2	0
<i>Plocamium</i> sp.	0	18.9
<i>Polychaeta</i>	0.2	0
Rock	5.2	1.6
<i>Rhodophyta</i> sp.	0	1.3
Sand	8.8	5
<i>Schizoporella</i> sp.	0	0.1
<i>Styela plicata</i>	0.9	0
Turf algae	33.0	21.8
<i>Ulva</i> sp.	1.6	1.5



This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

Distributed under Creative Commons CC-BY 4.0

© 2024 The Authors.
Diversity and Distributions Published by SBI



Official Journal of the
Sociedade Brasileira de Ictiologia

HOW TO CITE THIS ARTICLE

- Fernández TC, Freret-Meurer NV, Franco ACS, Bertoncini AA, Santos LN. Do longsnout seahorses *Hippocampus reidi* (Syngnathiformes: Syngnathidae) have a holdfast preference? Neotrop Ichthyol. 2024; 22(2):e230074. <https://doi.org/10.1590/1982-0224-2023-0074>