

TABLE S2 | The number of prey items, species, and standardized Levins' index of each ontogenetic group by season of Brazilian flathead *Percophis brasiliensis*.

Ontogenetic group	Season	Number of prey items	Total species	Levins' index
Juveniles	Summer	48	10	0.34
	Autumn	201	12	0.43
	Winter	28	8	0.22
	Spring	46	12	0.16
	Grouped (mean)	80.75	10.5	0.29
Young adults	Summer	75	21	0.36
	Autumn	1322	19	0.14
	Winter	47	18	0.34
	Spring	66	22	0.23
	Grouped (mean)	377.5	20	0.27
Adults	Summer	49	16	0.43
	Autumn	2003	25	0.12
	Winter	64	23	0.26
	Spring	69	21	0.21
	Grouped (mean)	546.25	21.25	0.25



This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

Distributed under Creative Commons CC-BY 4.0

© 2024 The Authors.
Diversity and Distributions Published by SBI



Official Journal of the
Sociedade Brasileira de Ictiologia

HOW TO CITE THIS ARTICLE

- **Bauer AB, Fischer LG.** Trophic ecology of the demersal predator Brazilian flathead *Percophis brasiliensis* (Percophidae) in a coastal upwelling ecosystem, SW Atlantic. *Neotrop Ichthyol.* 2024; 22(2):e230115. <https://doi.org/10.1590/1982-0224-2023-0115>